



# ANTI-WRINKLE INJECTION

## AFTERCARE

Do not rub the treated area/s for 24 hours.

Ensure the area is kept clean. This will prevent infection at the injection sites.

Stay upright for 4 hours. This enables the anti-wrinkle solution to not spread further into areas that you do not want treated.

Use bland products on areas. Do not use any active ingredients for 24 hours. This includes vitamins and minerals that may be in your skincare.

Over the counter pain medications may be used but do not use Ibuprofen or Aspirin for 24 hours. This can increase bleeding and bruising risk. If you take aspirin for cardiac problems please continue however, bleeding/bruising may be worse.

Avoid exposure to extreme heat such as saunas and aggressive exercise for 24 hours.

Do not undertake any other skin treatments such as facials for 2 weeks. This is due to active ingredients and rubbing technique affecting placement and efficacy of injection.

Do not have COVID vaccination for 2 weeks post treatment. This is due to the delayed inflammatory response.

Slight brow drop is completely normal and should not be an issue however, if you feel your brow has dropped considerably or you have brow asymmetry please contact the clinic.

Brow drop (brow ptosis) lasts 2-3 weeks post injection.

Rebook your 2 week follow up appointment if required.

Any issues please contact the clinic on :  
0435 888 587